



INFORMATION BULLETIN

REGIONAL DISTRICT OF NORTH OKANAGAN

RDNO Building Inspection Department

9848 Aberdeen Road
Coldstream, BC V1B 2K9

FOR IMMEDIATE RELEASE

DATE: December 12, 2017

CONTACT: RDNO Building Department

PHONE/EMAIL: 250-550-3700 / building@rdno.ca

File No. 3760.01

Building Inspection Services

The British Columbia Building Code makes no reference to suspended garage slabs or about how to install them. We are concerned that moisture, either by condensation or leakage, will eventually weaken the structural members and cause failure.

In order to receive a building permit for a garage containing a suspended garage slab or wood framed garage floor with concrete topping it is the responsibility of the plan reviewer to ensure that the following documents are received from the Structural Engineer: Schedules B, P and a copy of their certificate of insurance complete with two (2) sets of engineered sealed drawings (at a scale of $\frac{1}{4}'' = 1'-0''$).

The design and the construction shall contain some form of a water proofing material. As a result, the Regional District of North Okanagan's Building Department will require that the structural engineer (or an architect) sign off on item 1.23 of the Schedule B (Environmental Separation).

Insulation below a concrete suspended slab is to be spray applied rigid medium density polyurethane foam (Minimum R-28) because venting for other types of insulation, as required by Code, is not possible.

These requirements are in addition to the standard building permit application submission requirements.

Contact:

RDNO Building Inspection Department
Phone 250-550-3730, email building@rdno.ca

MEMBER MUNICIPALITIES:

CITY OF ARMSTRONG
DISTRICT OF COLDSTREAM
CITY OF ENDERBY

VILLAGE OF LUMBY
TOWNSHIP OF SPALLUMCHEEN
CITY OF VERNON

ELECTORAL AREAS:

"B" – SWAN LAKE
"C" – B.X. DISTRICT
"D" – LUMBY (RURAL)

"E" – CHERRYVILLE
"F" – ENDERBY (RURAL)